Computational intelligence: Introduction to basic concepts

Igor Farkaš
Centre for Cognitive Science
Faculty of Mathematics, Physics and Informatics
Comenius University in Bratislava

What is human intelligence?

- product of brain activity, manifestation of mind (?)
- What are its characteristics?
  - Cleverness
  - Ability to solve novel problems
  - Foresight (insight)
  - Creativity
  - Making a guess that discovers a new underlying order
- Is universal definition possible?
- Quantitative or qualitative description?
- Test operationalization?

Theories of intelligence

- Quantifiable (?) - IQ
- Various tests applied
- Theories:
  - General intelligence (Spearman's factor *g*) vs. specific abilities (Thorndike)
  - Multiple ability theories of intelligence (Thurstone)
    - Primary mental abilities – numerical ability, reasoning, verbal fluency, spatial relations, perception, memory, verbal comprehension
  - Triarchic theory (Sternberg) – analytic, practical, creative
  - Theory of multiple intelligences (Gardner)
  - ...

Two example of definitions

- American Psychological Association in 1995:

  “Individuals differ from one another in their ability to understand complex ideas, to adapt effectively to the environment, to learn from experience, to engage in various forms of reasoning, to overcome obstacles by taking thought. Although these individual differences can be substantial, they are never entirely consistent: a given person’s intellectual performance will vary on different occasions, in different domains, as judged by different criteria. Concepts of "intelligence" are attempts to clarify and organize this complex set of phenomena. Although considerable clarity has been achieved in some areas, no such conceptualization has yet answered all the important questions and none commands universal assent. Indeed, when two dozen prominent theorists were recently asked to define intelligence, they gave two dozen somewhat different definitions.”

- "Mainstream Science on Intelligence", signed by 52 intelligence researchers in 1994:

  “A very general mental capability that, among other things, involves the ability to reason, plan, solve problems, think abstractly, comprehend complex ideas, learn quickly and learn from experience. It is not merely book learning, a narrow academic skill, or test-taking smarts. Rather, it reflects a broader and deeper capability for comprehending our surroundings—"catching on", "making sense" of things, or "figuring out" what to do.”

Hallmarks of human intelligence

Object recognition

Speech recognition

Language use

Movement

Analogies



Understanding



Inteligent system is the one that ...

- Acts as human
  - Turing test



- Acts rationally
  - does the “right thing”

- Thinks as human
  - cognitivism



- Thinks rationally
  - following the rules of logic

Rational agents



Abstractly, an agent is a function from percept histories to actions:

$$f : \mathcal{P}^* \rightarrow \mathcal{A}$$

For any given class of environments and tasks, we seek the agent (or class of agents) with the best performance

Caveat: **computational limitations make perfect rationality unachievable**

→ design best program for given machine resources

(Russell & Norvig, 2010)

What is computation?

- Human intuitive understanding of computation (math)

4 + 1 =

3 + 2 =

$$\lim_{(x,y)\to(0,0)} \frac{x^2 \sin^2(y)}{x^2+2y^2} = 0$$

$$\frac{x^2 \sin^2(y)}{x^2+2y^2} \le \sin^2(y) \le 1$$

- Different levels of description / explanation
- Levels of analysis (Marr, 1982) →
  - uses an abstract interpretation of term 'computation'
- AI methods focus on algorithmic level (implies concrete data representations)
- binary vs analog computation
- computation in nature



(Krakauer et al, 2017)

Nature-inspired computation

- Biological organisms effectively function in their environments
- Each (more complex) organism (individual)
  - Is born with certain innate properties (evolution),
  - But it has to learn others (ontogeny).
- Processes standing behind behavior can be looked at as computations.
- Nature is an excellent source of inspiration.
- Current machines performance is still inferior compared to humans in certain complex tasks (vision, locomotion, language)
  - but the differences are diminishing, or becoming eliminated

Swarm intelligence

DNA computing

- Using DNA and molecular biology (instead of common computers) for solving complex tasks
- DNA codes genetic information
- Alphabet: 4 bases (molecules) - A, C, G, T.



Task: Classification

x_1	x_2	Class
0.1	1	1
0.15	0.2	2
0.48	0.6	3
0.1	0.6	1
0.2	0.15	2
0.5	0.55	3
0.2	1	1
0.3	0.25	2
0.52	0.6	3
0.3	0.6	1
0.4	0.2	2
0.52	0.5	3







Task: Feature extraction

Task: Regression



Categorization

What is a cup ?

fuzzy boundaries, subjectivity

What is a triangle?

clear-cut boundaries, no subjectivity



- feature theory (defining features)
- prototype theory (characteristic features); + exemplars
- synthesis (core + prototype)

Seeking patterns in data



Task: time series prediction



Task: Path finding



Artificial intelligence

- Born in 1950s in the US
- major framework – “crisp” logic (symbolic AI)
- focus: reasoning, knowledge, planning, learning, natural language processing (communication), perception
  - typically “weak AI” / narrow AI
- Later approaches: statistical methods, artificial neural networks (soft computing)
- Artificial General Intelligence (AGI) introduced in 1997
  - “strong AI” ambition
- Computational intelligence – in 1990s.

Views on main characteristics of CI

". . . (strictly) computational systems depend on numerical data supplied by manufactured sensors and do not rely upon "knowledge" ."

"It deals only with numerical (low-level) data, has a pattern recognition component, and does not use knowledge in the AI sense; and additionally, when it (begins to) exhibit (i) computational adaptivity; (ii) computational fault tolerance; (iii) speed approaching human-like turnaround, and (iv) error rates that approximate human performance."

(Bezdek, 1994)

"In summary, adaptation is arguably the most appropriate term for what computationally intelligent systems do. In fact, it is not too much of a stretch to say that *computational intelligence and adaptation are synonymous*." (Italics from Eberhart *et al.*)

Views on main characteristics of CI (ctd)

"These technologies of neural, fuzzy and evolutionary systems were brought together under the rubric of Computational Intelligence, a relatively new field offered to generally describe methods of computation that can be used to adapt solutions to new problems and do not rely on explicit human knowledge."

(Fogel, 1995)

"Computational intelligence is the study of the design of intelligent agents. ... An intelligent agent is a system that acts intelligently: What it does is appropriate for its circumstances and its goal, it is flexible to changing environments and changing goals, it learns from experience, and it makes appropriate choices given perceptual limitations and finite computation."

(Poole et al., 1998)

Features of CI methods

- various methods in CI
- share the feature of being subsymbolic
- data-driven, where
- the structure (knowledge) emerges bottom-up
- rather than being imposed from above (pre-wired)
- directly draw on environment
- Relationship to AI?
  - depends on one's view
  - any symbiosis possible?

Relations among components of intelligent system



(Eberhart, 1995)

What is computational intelligence?

- How does CI differ from Artificial Intelligence?
  - Successor, importance of machine learning
  - CI as a soft-computing subset of AI (Bezdek, 1994)
- only methods with nature-inspired computation?
- Proposed definition: “CI as a branch of computer science studying problems for which there are no effective computational algorithms.” (Duch, 2007)
- CI society: “… the theory, design, application, and development of biologically and linguistically motivated computational paradigms...”